Adult ADHD Self-Report Scale (ASRS-v1.1) Symptom Checklist

Patient Name	Today's D	ate		T		· · ·
Please answer the questions below, rating yourself on each of the criteria sho scale on the right side of the page. As you answer each question, place an X i best describes how you have felt and conducted yourself over the past 6 morthis completed checklist to your healthcare professional to discuss during tod appointment.	n the box that oths. Please give	Nèver	Rarely	Sometimes	Often	Very Often
1. How often do you have trouble wrapping up the final details of a project once the challenging parts have been done?	t, 	-		123		
2. How often do you have difficulty getting things in order when you have a task that requires organization?	to do					
3. How often do you have problems remembering appointments or obliga	tions?					
4. When you have a task that requires a lot of thought, how often do you or delay getting started?	avoid					
5. How often do you fidget or squirm with your hands or feet when you to sit down for a long time?	nave					# Z. P.
6. How often do you feel overly active and compelled to do things, like yo were driven by a motor?	рU				2.5	3.7
				·,-··	F	art A
7. How often do you make careless mistakes when you have to work on difficult project?	a boring or					
8. How often do you have difficulty keeping your attention when you are or repetitive work?	doing boring					
9. How often do you have difficulty concentrating on what people say to even when they are speaking to you directly?	ou,					
10. How often do you misplace or have difficulty finding things at home or	at work?					
11. How often are you distracted by activity or noise around you?						
12. How often do you leave your seat in meetings or other situations in w you are expected to remain seated?	hich					
13. How often do you feel restless or fidgety?						
14. How often do you have difficulty unwinding and relaxing when you have to yourself?	re time					
15. How often do you find yourself talking too much when you are in soc	ial situations?					
16. When you're in a conversation, how often do you find yourself finishing the sentences of the people you are talking to, before they can finish them themselves?	g					
17. How often do you have difficulty waiting your turn in situations when turn taking is required?				\$#\$\$\$\$\$\$\$\$		
18. How often do you interrupt others when they are busy?						
				1 44 2 (\$41)\$\$\$	F	art E

D4	NICHQ Vanderbilt Assessment Scale—TE	ACHER	nformant	e artifere re	
Teacher's Name:	Class Time:		Class Name/F	eriod:	
Today's Date:	Child's Name:	_Grade l	Level:		
	ould reflect that child's behavior since the beginning		nooi year. Piease	indicate t	he number of
	or months you have been able to evaluate the behaviors ased on a time when the child Union Was on medication			otion 🗌 n	oot sure? Very Often
ls this evaluation b		on 🗌 w	as not on medica		
Is this evaluation b Symptoms 1. Fails to give att	ased on a time when the child 🔲 was on medication	on 🗌 w	as not on medica	Often	Very Often
Symptoms 1. Fails to give att 2. Has difficulty s	ased on a time when the child	Never	as not on medica	Often 2	Very Often
Symptoms 1. Fails to give att 2. Has difficulty s 3. Does not seem 4. Does not follow	ention to details or makes careless mistakes in schoolwork sustaining attention to tasks or activities	Never 0 0	as not on medica	Often 2 2	Very Often 3 3

Symptoms	never	Оссаѕюпану	Orten	very Orten
1. Fails to give attention to details or makes careless mistakes in schoolwork	0	1	2	3
2. Has difficulty sustaining attention to tasks or activities	0	1	2	3
3. Does not seem to listen when spoken to directly	0	1	2	3
4. Does not follow through on instructions and fails to finish schoolwork	0	1	2	3
(not due to oppositional behavior or failure to understand)				
5. Has difficulty organizing tasks and activities	0	1	2	3
6. Avoids, dislikes, or is reluctant to engage in tasks that require sustained mental effort	0	1	2	3
7. Loses things necessary for tasks or activities (school assignments, pencils, or books)	0	1	2	3
8. Is easily distracted by extraneous stimuli	0	1	2	3
9. Is forgetful in daily activities	0	1	2	3
10. Fidgets with hands or feet or squirms in seat	0	1	2	3
11. Leaves seat in classroom or in other situations in which remaining seated is expected	0	1	2	3
12. Runs about or climbs excessively in situations in which remaining seated is expected	0	1	2	3
13. Has difficulty playing or engaging in leisure activities quietly	0	1	2	3
14. Is "on the go" or often acts as if "driven by a motor"	0	1	2	3
15. Talks excessively	0	. 1	2	3
16. Blurts out answers before questions have been completed	0	1	2	.3 ,
17. Has difficulty waiting in line	0	1	2	3
18. Interrupts or intrudes on others (eg, butts into conversations/games)	0	1	2	3
19. Loses temper	0	1 .	2	3
20. Actively defies or refuses to comply with adult's requests or rules	0	1	2	3
21. Is angry or resentful	0	1	· · · 2 · · · · · ·	3
22. Is spiteful and vindictive	0	1	.2	3
23. Bullies, threatens, or intimidates others	0	1	2	3
24. Initiates physical fights	0	1	2	3
25. Lies to obtain goods for favors or to avoid obligations (eg, "cons" others)	.0	1	2	3
26. Is physically cruel to people	0 .	1	2	3
27. Has stolen items of nontrivial value	0	1	2	3
28. Deliberately destroys others' property	0	.1	2	3
29. Is fearful, anxious, or worried	0	1 .	2	3
30. Is self-conscious or easily embarrassed	0	1 .	2	3
31. Is afraid to try new things for fear of making mistakes	0 .	1	2	3
21. Is attain to it a tien mitted for leaf of making mistakes	U .	T	4	<u> </u>

The recommendations in this publication do not indicate an exclusive course of treatment or serve as a standard of medical care. Variations, taking into account individual circumstances, may be appropriate.

Copyright ©2002 American Academy of Podiatrics and National Initiative for Children's Fiealthcare Quality

Adapted from the Vanderbilt Rating Scales developed by Mark L. Wolraich, MD. Revised - 0303

American Academy of Pediatrics



NICHQ:



D4 NICHQ Vanderbilt Assessment Sca	ile—TEACH	ek intorm	ant, continue		
eacher's Name: Class T	ime:		Class Name/I	Period:	
oday's Date: Child's Name:		Grade l	Level:		
outly s Date.		•	.•		
Symptoms (continued)		Never	Occasionally		Very Ofter
32. Feels worthless or inferior		0	1	2	3
33. Blames self for problems; feels guilty		0	1	22	3
34. Feels lonely, unwanted, or unloved; complains that "no one	loves him or	her 0	1	2	3
35. Is sad, unhappy, or depressed		0	11	2	3
				Somewhat	!
Performance		Above	_	ofa	D bl
Academic Performance	Excellent	Average	Average		Problemati
36. Reading	1	2	3	4	5
37. Mathematics	1	2	3	4	5
38. Written expression	1	2	3	4	5
		- -		Somewhat	t
		Above	Arramas	of a Problem	Problemati
Classroom Behavioral Performance	Excellent	Average	Average	4	5
39. Relationship with peers	11	2	3	1	5
40. Following directions	1	2	3	4	5
41. Disrupting class	1	2	3	4	<u>5</u>
42. Assignment completion	1	2	3	4	<u>5</u>
43. Organizational skills	1				
Comments:					
Nace Control of the C					
					_
Please return this form to:					
Mailing address:					
Walling address:		•			
					-
				•	
Fax number:		 			
	<u> </u>				
For Office Use Only					
Total number of questions scored 2 or 3 in questions 1–9:					
Total number of questions scored 2 or 3 in questions 10-18:				•	
Total Symptom Score for questions 1-18:			ļ		•

American Academy
of Pediatrics

Average Performance Score:



Total number of questions scored 2 or 3 in questions 19–28: ______

Total number of questions scored 2 or 3 in questions 29–35: _____

Total number of questions scored 4 or 5 in questions 36–43: _____





NICHQ Vanderbilt Assessment Scale—PARENT Informant

Today's Date:	Child's Name:	Date of Birth:				
Parent's Name: Parent's Phone Number:						
		e context of what is appropriate for the age of your child. nk about your child's behaviors in the past <u>6 months.</u>				
Is this evaluation ba	sed on a time when the child	☐ was on medication ☐ was not on medication ☐ not sure?				

Symptoms	Never	Occasionally	Often	Very Often
Does not pay attention to details or makes careless mistakes with, for example, homework	0	1	2	3
2. Has difficulty keeping attention to what needs to be done	0	1	2	3
3. Does not seem to listen when spoken to directly	0	1	2	3
4. Does not follow through when given directions and fails to finish activities (not due to refusal or failure to understand)	0	1	2	3 .
5. Has difficulty organizing tasks and activities	0	1	2	3
6. Avoids, dislikes, or does not want to start tasks that require ongoing mental effort	0	1	2	3
Loses things necessary for tasks or activities (toys, assignments, pencils, or books)	0	1	2	3
8. Is easily distracted by noises or other stimuli	0	1	2	3
9. Is forgetful in daily activities	0	1	2	3
10. Fidgets with hands or feet or squirms in seat	0	1	2	3
11. Leaves seat when remaining seated is expected	0	1	2	3
12. Runs about or climbs too much when remaining seated is expected	0	1	2	3
13. Has difficulty playing or beginning quiet play activities	0	1	2 ·	3
14. Is "on the go" or often acts as if "driven by a motor"	0	1	2	3
15. Talks too much	0	1	2	3
16. Blurts out answers before questions have been completed	0	1	2	3
17. Has difficulty waiting his or her turn	0	1	2	3
18. Interrupts or intrudes in on others' conversations and/or activities	0	1	. 2	3
19. Argues with adults	0	1	2	3
20. Loses temper	0	11	2	3
21. Actively defies or refuses to go along with adults' requests or rules	0	1	2	3
22. Deliberately annoys people	0	11	2	¹ _ 3 ,
23. Blames others for his or her mistakes or misbehaviors	0	. 1	2	3
24. Is touchy or easily annoyed by others	0	1	2	3
25. Is angry or resentful	0	1	2	3
26. Is spiteful and wants to get even	0	1	2	3
27. Bullies, threatens, or intimidates others	0	1	2	3
28. Starts physical fights	0	1	2	3
29. Lies to get out of trouble or to avoid obligations (ie, "cons" others)	0	1	2	3
30. Is truant from school (skips school) without permission	0	1	2	3
31. Is physically cruel to people	. 0	1	. 2	3
32. Has stolen things that have value	0	1	2	3

The information contained in this publication should not be used as a substitute for the medical care and advice of your pediatrician. There may be variations in treatment that your pediatrician may recommend based on individual facts and circumstances.

Copyright @2002 American Academy of Pediatrics and National Initiative for Children's Healthcare Quality

Adapted from the Vanderbilt Rating Scales developed by Mark L. Wolraich, MD. Revised - 1102

-American-Academyof Pediatrics





NICHQ Vanderbilt Assessment Scale—PARENT Informant

Today's Date:	Child's Name:	Date of Birth:	•
Parent's Name:		Parent's Phone Number:	

Symptoms (continued)	Never	Occasionally	Often	Very Often
33. Deliberately destroys others' property	0	1	2 ·	3
34. Has used a weapon that can cause serious harm (bat, knife, brick, gun)	0	1	2	3
35. Is physically cruel to animals	0	1	: 2	3
36. Has deliberately set fires to cause damage	0	1	2	3
37. Has broken into someone else's home, business, or car	0	1	2	3
38. Has stayed out at night without permission	. 0	1	2	3
39. Has run away from home overnight	0	1	2	3
40. Has forced someone into sexual activity	0	1 -	2	3
41. Is fearful, anxious, or worried	0	1 ·	2	3
42. Is afraid to try new things for fear of making mistakes	0	1	2	3
43. Feels worthless or inferior	0	1	. 2	3
44. Blames self for problems, feels guilty	0	1	2	3
45. Feels lonely, unwanted, or unloved; complains that "no one loves him or her"		1	2	3
46. Is sad, unhappy, or depressed	.0	1	2	3
47. Is self-conscious or easily embarrassed	0	1	2	3

		Above		Somewhat of a	t
Performance	Excellent	Average .	Average	Problem	Problematic
48. Overall school performance	1	2	3	4	5
49. Reading	1	2	3	4	5
50. Writing	1	2	3	4	5
51. Mathematics	1	2	3	4	5
52. Relationship with parents	1	2	3	4	5
53. Relationship with siblings	1	· 2	3 .	4	5
54. Relationship with peers	1	2	3	4	5
55. Participation in organized activities (eg, teams)	1	2	3	4	5

Comments:

For Office Use Only
Total number of questions scored 2 or 3 in questions 1-9:
Total number of questions scored 2 or 3 in questions 10–18:
Total Symptom Score for questions 1–18:
Total number of questions scored 2 or 3 in questions 19-26:
Total number of questions scored 2 or 3 in questions 27-40:
Total number of questions scored 2 or 3-in questions 41-47:
Total number of questions scored 4 or 5 in questions 48-55:
Average Performance Score:

American-Academy of Pediatrics



NICHO:



0 =	BUCKET I I'VE	11	SASELIE ! C
)5	NICHQ Vanderbilt Ass	sessment Follow-ub-	—PAKENI Intori

Today's Date:	Child's Name:		Date of Birth:	
Parent's Name:		Parent's Phone Number:		

<u>Directions:</u> Each rating should be considered in the context of what is appropriate for the age of your child. Please think about your child's behaviors since the last assessment scale was filled out when rating his/her behaviors.

Is this evaluation based on a time when the child \quad \text{was on medication } \text{\$\pi\$ was not on medication } \text{\$\pi\$ not sure?}

Symptoms	Never	Occasionally	Often	Very Often
 Does not pay attention to details or makes careless mistakes with, for example, homework 	0	1	2	3
2. Has difficulty keeping attention to what needs to be done	0	1	2	3
3. Does not seem to listen when spoken to directly	0	1	2	3 `
4. Does not follow through when given directions and fails to finish activities (not due to refusal or failure to understand)	0	1	2	3
5. Has difficulty organizing tasks and activities	0	1	2	3
6. Avoids, dislikes, or does not want to start tasks that require ongoing mental effort	0	1	2	3
7. Loses things necessary for tasks or activities (toys, assignments, pencils, or books)	0	1	2	3
8. Is easily distracted by noises or other stimuli	0	1	2	3
9. Is forgetful in daily activities	0	1	2	3
10. Fidgets with hands or feet or squirms in seat	0	1	2	3
11. Leaves seat when remaining seated is expected	0	1	2	3
12. Runs about or climbs too much when remaining seated is expected	0	1	2	3
13. Has difficulty playing or beginning quiet play activities	0	1	2	3
14. Is "on the go" or often acts as if "driven by a motor"	0	1	2	3
15. Talks too much	0	1	2	3
16. Blurts out answers before questions have been completed	0	I	2	3
17. Has difficulty waiting his or her turn	0	1	2	3
18. Interrupts or intrudes in on others' conversations and/or activities	0	1	2	3

		Above		Somewhat of a	
Performance	Excellent	Average	Average	Problem	Problematic
19. Overall school performance	1	2	3	4	5
20. Reading	1	2	3	4	5
21. Writing	1	2	3	4	5
22. Mathematics	1	2	3	4	5
23. Relationship with parents	1	2	3	4	5
24. Relationship with siblings	1	2	3	4	5
25. Relationship with peers	1	2	3	4	5
26. Participation in organized activities (eg, teams)	1	2	3	4	. 5

The information contained in this publication should not be used as a substitute for the medical care and advice of your pediatrician. There may be variations in treatment that your pediatrician may recommend based on individual facts and circumstances.

Copyright ©2002 American Academy of Pediatrics and National Initiative for Children's Healthcare Quality

Adapted from the Vanderbilt Rating Scales developed by Mark L. Wolraich, MD. Revised - 0303 $\,$

American Academy of Pediatrics



NICHQ:



Today's Date: Child's Name:	Date of Birth:				
Parent's Name: Parent's Phone Number:					
Side Effects: Has your child experienced any of the following side	Are these	side effec	ts currently a p	problem?	
effects or problems in the past week?	None	Mild	Moderate	Severe	
Headache					
Stomachache					
Change of appetite—explain below		,			
Trouble sleeping					
Irritability in the late morning, late afternoon, or evening—explain below					
Socially withdrawn—decreased interaction with others		·			
Extreme sadness or unusual crying					
Dull, tired, listless behavior					
Tremors/feeling shaky					
Repetitive movements, tics, jerking, twitching, eye blinking—explain below					
Picking at skin or fingers, nail biting, lip or cheek chewing—explain below					
Constant have the sent that are the sent	1		1.		

Explain/Comments:

For Office Use Only	
Total Symptom Score for questions 1–18:	
Average Performance Score for questions 19–26:	

Adapted from the Pittsburgh side effects scale, developed by William E. Pelham, Jr., PhD.

American Academy of Pediatrics



National Initiative for Children's Healthcare Qual



DEDICATED TO THE HEALTH OF ALL CHILDREN

NICHQ Vanderbilt Assessmen	t Follow-up—TEACHE	R Informant

Teacher's Name:		Class Time:	Class Name/Period:
Today's Date:	_ Child's Name:		Grade Level:
Directions: Each rating s	should be consider	red in the context of what is	appropriate for the age of the child you are rating

<u>Directions:</u> Each rating should be considered in the context of what is appropriate for the age of the child you are rating and should reflect that child's behavior since the last assessment scale was filled out. Please indicate the number of weeks or months you have been able to evaluate the behaviors:______.

Is this evaluation based on a time when the child \(\bigcap \) was on medication \(\bigcap \) was not on medication \(\bigcap \) not sure?

Symptoms	Never	Occasionally	Often	Very Often
Does not pay attention to details or makes careless mistakes with, for example, homework	0	1	2	3
2. Has difficulty keeping attention to what needs to be done	0	1	2	3
3. Does not seem to listen when spoken to directly	0	1	2	3
4. Does not follow through when given directions and fails to finish activities (not due to refusal or failure to understand)	0	1	2	3
5. Has difficulty organizing tasks and activities	0	1	2	3
 Avoids, dislikes, or does not want to start tasks that require ongoing mental effort 	0	1	2	3
7. Loses things necessary for tasks or activities (toys, assignments, pencils, or books)	0	1	2	3
8. Is easily distracted by noises or other stimuli	0	1	2	3
9. Is forgetful in daily activities	0	1	2	3
10. Fidgets with hands or feet or squirms in seat	0	1	2	3
11. Leaves seat when remaining seated is expected	0	1	2	3
12. Runs about or climbs too much when remaining seated is expected	0	1	2	3
13. Has difficulty playing or beginning quiet play activities	0	1	2	3
14. Is "on the go" or often acts as if "driven by a motor"	0	1	2	3
15. Talks too much	0	1	2	3
16. Blurts out answers before questions have been completed	. 0	I	2	3
17. Has difficulty waiting his or her turn	0	1	2	3
18. Interrupts or intrudes in on others' conversations and/or activities	0	1	2	3

		·		Somewha	t
	·	Above		of a	
Performance	Excellent	Average	Average	Problem	Problematic
19. Reading	1	2	3	4	5
20. Mathematics	. 1	2	3	4	5
21. Written expression	1	2	3	4	5
22. Relationship with peers	1	2	3	4	5
23. Following direction	1	2	3	4	5
24. Disrupting class	1	2	3	4	5
25. Assignment completion	1	2	- 3	. 4	5
26. Organizational skills	1	. 2	3	4	5

The recommendations in this publication do not indicate an exclusive course of treatment or serve as a standard of medical care. Variations, taking into account individual circumstances, may be appropriate.

Copyright ©2002 American Academy of Pediatrics and National Initiative for Children's Healthcare Quality

Adapted from the Vanderbilt Rating Scales developed by Mark L. Wolraich, MD. Revised - 0303

American Academy of Pediatrics

D6



NICH()

McNeil
Consumer & Specialty Pharmaceuticals

DEDICATED TO THE HEALTH OF ALL CHILDREN

National Initiative for Children's Healthcare Quality

•	Class Time: Class Name/Period:				
oday's Date: Child's Name:		Grade Lev	el:		
Side Effects: Has the child experienced any of the	e following side	Are these	side effect	s currently a	problem?
effects or problems in the past week?		None	Mild	Moderate	Severe
Headache					
Stomachache					
Change of appetite—explain below					
Trouble sleeping					
Irritability in the late morning, late afternoon, or ex	vening—explain below				
Socially withdrawn—decreased interaction with of				•	
Extreme saduess or unusual crying					
Dull, tired, listless behavior					
Tremors/feeling shaky					
Repetitive movements, tics, jerking, twitching, eye h	olinking explain below				
Picking at skin or fingers, nail biting, lip or cheek d	hewing explain below		,		
Sees or hears things that aren't there					
			,		
		_			
·		_			
For Office Use Only Total Symptom Score for questions 1–18:					- ,
Total Symptom Score for questions 1–18: Average Performance Score:		_			- ;
Total Symptom Score for questions 1–18: Average Performance Score:					;
Total Symptom Score for questions 1–18: Average Performance Score:			77074		;
Total Symptom Score for questions 1–18: Average Performance Score: Please return this form to:					

American Academy of Pediatrics



Adapted from the Pittsburgh side effects scale, developed by William E. Pelham, Jr, PhD.